Hits	Search Text	DB	Time stamp
1113398	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
	(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:54
	module\$1)) or microprocess\$3 or comput\$10 or	EPO; JPO;	
	application\$1 or program\$1 or software) near6	DERWENT;	
	(intens\$5 or critical\$3 or perform\$5 or need\$1 or	IBM_TDB	
	, in the second	_	
	·		
153171		USPAT:	2003/11/04
		l .	09:55
		1	
	· · · · · · · · · · · · · · · · · · ·		
	, , ,		
	· ·	12011_100	
	· ·		
4516	, , , , , , , , , , , , , , , , , , ,	USPAT.	2003/11/04
4510	, , , , , , , , , , , , , , , , , , , ,		09:55
			09.00
		1	
	,		
	•	IRW_IDR	
001701	• • • •		0000 44 40 4
801701			2003/11/04
			09:52
	, , .	· ·	
	·	IBM_TDB	
	· · ·		
110708		1	2003/11/04
		US-PGPUB;	09:52
		EPO; JPO;	
	application\$1 or program\$1 or software) near6	DERWENT;	
	(intens\$5 or critical\$3 or perform\$5 or need\$1 or	IBW_TDB	
	requir\$7 or necess\$5)) with (volt\$5 or power\$3 or		
	current\$1 or clock\$3 or frequen\$5)		
3853	(((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
	(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:52
	module\$1)) or microprocess\$3 or comput\$10 or	EPO; JPO;	
	application\$1 or program\$1 or software) near6	DERWENT;	
	(intens\$5 or critical\$3 or perform\$5 or need\$1 or	IBM_TDB	
	requir\$7 or necess\$5)) with (volt\$5 or power\$3 or		
	, , , , , , , , , , , , , , , , , , , ,	1	
1994767		USPAT:	2003/11/04
-			09:53
	·	1	
	The transfer of the 2 miles of got it will oliver.	IBM_TDB	
	1113398 153171 4516 801701 110708	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5) ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5) (((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5) and 713.clas. 801701 (spain or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1) or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5) ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5) ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5)) with (volt\$5 or power\$3 or curren	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5) 153171 ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5) 4516 ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$7 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5) and 713.clas. (cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5) 110708 ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1) or module\$1) or microprocess\$3 or comput\$10 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5) 110708 ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1 or device\$1 or agent\$1 or module\$1 or device\$1 or agent\$1 or module\$1 or process\$7\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1 or process\$7\$1 or (processing adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1 or mode\$1 or device\$1 or agent\$1 or mode\$1 or

	2944	((((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:53
		module\$1)) or microprocess\$3 or comput\$10 or	EPO; JPO;	
		application\$1 or program\$1 or software) near6	DERWENT;	
		(intens\$5 or critical\$3 or perform\$5 or need\$1 or	IBM_TDB	
		requir\$7 or necess\$5)) with (volt\$5 or power\$3 or	-5.11,_, 35	
		current\$1 or clock\$3 or frequen\$5)) and 713.clas.)		
		and ((cpu\$1 or mpu\$1 or process?r\$1 or (processing		
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or		
		module\$1)) or microprocess\$3 or comput\$10 or		
		application\$1 or program\$1 or software).ab.)		
-	3516662	(volt\$5 or power\$3 or current\$1 or clock\$3 or	USPAT;	2003/11/04
		frequen\$5).ab.	US-PGPUB;	09:53
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	0,000
			DERWENT;	
			IBM_TDB	
_	2	(((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04
	-	adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:54
		module\$1)) or microprocess\$3 or comput\$10 or	EPO; JPO;	05.54
		application\$1 or program\$1 or software) near6	DERWENT;	
		(intens\$5 or critical\$3 or perform\$5 or need\$1 or	IBM_TDB	
		requir\$7 or necess\$5)) with (volt\$5 or power\$3 or	10/4_100	
		current\$1 or clock\$3 or frequen\$5)) and 713.clas.)		
		and ((cpu\$1 or mpu\$1 or process?r\$1 or (processing		
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or		
		module\$1)) or microprocess\$3 or comput\$10 or		
		application\$1 or program\$1 or software).ab.)) and		
		((volt\$5 or power\$3 or current\$1 or clock\$3 or	ŀ	
		frequen\$5).ab.)		
_	984749	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:57
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5)		
-	129647	((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB:	09:58
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)		
-	3590	(((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
	1	(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:56
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		!
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
	<u>l</u>	frequen\$5)) and 713.clas.		

-	2678	((((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:56
		modul \$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or		
		process?r\$1 or (processing adj3 (unit\$1 or node\$1 or		
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or comput\$10 or application\$1 or program\$1 or		
		software).ab.)		
_	1781	(((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:56
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
	Ì	program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
	*	or perform\$5 or need\$1 or requir\$7 or necess\$5 or	_	
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or		
		process?r\$1 or (processing adj3 (unit\$1 or node\$1 or		
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or comput\$10 or application\$1 or program\$1 or		
		software).ab.)) and ((volt\$5 or power\$3 or current\$1		
		or clock\$3 or frequen\$5).ab.)		
-	1566131	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	10:00
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software).ab.	IBM_TDB	
-	2244	((((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:57
	,	module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or		
		process?r\$1 or (processing adj3 (unit\$1 or node\$1 or		
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or compute or computes or computation\$5 or		
		application\$1 or program\$1 or software).ab.)		

-	1510	(((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:57
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or	_	
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or		
		process?r\$1 or (processing adj3 (unit\$1 or node\$1 or		
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or compute or computes or computation\$5 or		
		application\$1 or program\$1 or software).ab.)) and		
		((volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5).ab.)		
	358050	(cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04 10:01
		(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software).clm.	IBM_TDB	
	1409	((((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:58
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or		
		process?r\$1 or (processing adj3 (unit\$1 or node\$1 or		
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or compute or computes or computation\$5 or		
		application\$1 or program\$1 or software).ab.)) and		
		((volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5).ab.)) and ((cpu\$1 or mpu\$1 or process?r\$1		
		or (processing adj3 (unit\$1 or node\$1 or device\$1 or		
		agent\$1 or module\$1)) or microprocess\$3 or compute		
		or computes or computation\$5 or application\$1 or		
		program\$1 or software).clm.)		
	722014	(volt\$5 or power\$3 or current\$1 or clock\$3 or	USPAT;	2003/11/04
		frequen\$5).clm.	US-PGPUB;	09:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	1347	((((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04
-	1347	adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:59
			EPO; JPO;	09.59
		module\$1)) or microprocess\$3 or compute or	DERWENT;	
		computes or computation\$5 or application\$1 or	IBM_TDB	
		program\$1 or software) near6 (intens\$5 or critical\$3	TPW_IDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) and 713.clas.) and ((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3 (unit\$1 or node\$1 or	į	
		device\$1 or agent\$1 or module\$1)) or microprocess\$3		
		or compute or computes or computation\$5 or		
		application\$1 or program\$1 or software).ab.)) and		
}		((volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5).ab.)) and ((cpu\$1 or mpu\$1 or process?r\$1		
		or (processing adj3 (unit\$1 or node\$1 or device\$1 or		
		agent\$1 or module\$1)) or microprocess\$3 or compute	j	
		or computes or computation\$5 or application\$1 or		
		program\$1 or software).clm.)) and ((volt\$5 or		
		power\$3 or current\$1 or clock\$3 or frequen\$5).clm.)		
_	6420	(((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04
	0420	(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB:	10:00
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	10.00
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or	10141_100	
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) same volt\$5 same (clock\$3 or		
		frequen\$5)		
_	2269	((((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	USPAT;	2003/11/04 10:01
	2207	(unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	2000, 12, 0 1 10.01
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) same volt\$5 same (clock\$3 or		
		frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or		
		(processing adj3 (unit\$1 or node\$1 or device\$1 or		
		agent\$1 or module\$1)) or microprocess\$3 or compute		
		or computes or computation\$5 or application\$1 or		
		program\$1 or software).ab.)		

adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or module\$1)) or microprocess\$3 or compute or computes or computation\$5 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	3/11/04 10:01
module\$1)) or microprocess\$3 or compute or computes or computes or computation\$5 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
computes or computation\$5 or application\$1 or program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
program\$1 or software) near6 (intens\$5 or critical\$3 or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
or perform\$5 or need\$1 or requir\$7 or necess\$5 or depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
depend\$5 or accord\$5 or based or correspond\$5)) with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
with (volt\$5 or power\$3 or current\$1 or clock\$3 or frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
frequen\$5)) same volt\$5 same (clock\$3 or frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
(processing adj3 (unit\$1 or node\$1 or device\$1 or	
agent\$1 or module\$1)) or microprocess\$3 or compute	
or computes or computation\$5 or application\$1 or	
program\$1 or software).ab.)) and ((volt\$5 or power\$3	
or current\$1 or clock\$3 or frequen\$5).ab.)	
- 901 (((((cpu\$1 or mpu\$1 or process?r\$1 or (processing USPAT; 2003	7/11/04 10:01
adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or US-PGPUB;	
module\$1)) or microprocess\$3 or compute or EPO; JPO;	
computes or computation\$5 or application\$1 or DERWENT;	
program\$1 or software) near6 (intens\$5 or critical\$3 IBM_TDB	
or perform\$5 or need\$1 or requir\$7 or necess\$5 or	
depend\$5 or accord\$5 or based or correspond\$5))	
with (volt\$5 or power\$3 or current\$1 or clock\$3 or	
frequen\$5)) same volt\$5 same (clock\$3 or	
frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or	
(processing adj3 (unit\$1 or node\$1 or device\$1 or	
agent\$1 or module\$1)) or microprocess\$3 or compute	
or computes or computation\$5 or application\$1 or	
program\$1 or software).ab.)) and ((volt\$5 or power\$3	
or current\$1 or clock\$3 or frequen\$5).ab.)) and	
((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3	
(unit\$1 or node\$1 or device\$1 or agent\$1 or	
module\$1)) or microprocess\$3 or compute or	
computes or computation\$5 or application\$1 or	
program\$1 or software).clm.)	

-	881	(((((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/04 10:01
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) same volt\$5 same (clock\$3 or		
ŀ		frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or		
		(processing adj3 (unit\$1 or node\$1 or device\$1 or		
		agent\$1 or module\$1)) or microprocess\$3 or compute		
1		or computes or computation\$5 or application\$1 or		
		program\$1 or software).ab.)) and ((volt\$5 or power\$3		
i		or current\$1 or clock\$3 or frequen\$5).ab.)) and		
		((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3		
		(unit\$1 or node\$1 or device\$1 or agent\$1 or		
		module\$1)) or microprocess\$3 or compute or		
		computes or computation\$5 or application\$1 or		
		program\$1 or software).clm.)) and ((volt\$5 or		
		power\$3 or current\$1 or clock\$3 or frequen\$5).clm.)		
_	153	(((((((cpu\$1 or mpu\$1 or process?r\$1 or (processing	USPAT;	2003/11/05
		adj3 (unit\$1 or node\$1 or device\$1 or agent\$1 or	US-PGPUB;	09:56
		module\$1)) or microprocess\$3 or compute or	EPO; JPO;	
		computes or computation\$5 or application\$1 or	DERWENT;	
		program\$1 or software) near6 (intens\$5 or critical\$3	IBM_TDB	
		or perform\$5 or need\$1 or requir\$7 or necess\$5 or		
		depend\$5 or accord\$5 or based or correspond\$5))		
		with (volt\$5 or power\$3 or current\$1 or clock\$3 or		
		frequen\$5)) same volt\$5 same (clock\$3 or		
		frequen\$5)) and ((cpu\$1 or mpu\$1 or process?r\$1 or		
		(processing adj3 (unit\$1 or node\$1 or device\$1 or		
		agent\$1 or module\$1)) or microprocess\$3 or compute		
		or computes or computation\$5 or application\$1 or		
		program\$1 or software).ab.)) and ((volt\$5 or power\$3		
		or current\$1 or clock\$3 or frequen\$5).ab.)) and		
		((cpu\$1 or mpu\$1 or process?r\$1 or (processing adj3		
		(unit\$1 or node\$1 or device\$1 or agent\$1 or		
		module\$1)) or microprocess\$3 or compute or		
		computes or computation\$5 or application\$1 or		
1		program\$1 or software).clm.)) and ((volt\$5 or		
•		power\$3 or current\$1 or clock\$3 or frequen\$5).clm.))		
		and 713.clas.		
		I.,	L	L

-	153	(US-5572719-\$ or US-5563799-\$ or US-5553236-\$	USPAT;	2003/11/05
[or US-5539910-\$ or US-5504908-\$ or	US-PGPUB	09:56
		US-5475847-\$ or US-5469561-\$ or US-5446867-\$		
		or US-5428790-\$ or US-5416723-\$ or		
{		US-5228138-\$ or US-5142684-\$ or US-4893271-\$		
		or US-4839248-\$ or US-4670837-\$ or		
İ		US-4611289-\$ or US-4564902-\$ or US-4528629-\$		
		or US-4475047-\$ or US-4464584-\$ or		
		US-4455623-\$ or US-5659789-\$ or US-5644760-\$		
		or US-5632037-\$ or US-5630143-\$ or		
		US-5630110-\$).did. or (US-5623677-\$ or		
		US-5604873-\$ or US-5787291-\$ or US-5774736-\$		
		or US-5745773-\$ or US-5742800-\$ or		
		US-5727208-\$ or US-5724591-\$ or US-5721887-\$		
		or US-5951681-\$ or US-5946470-\$ or		
		US-5940786-\$ or US-5938769-\$ or US-5926640-\$		
		or US-5915107-\$ or US-5909571-\$ or		
		US-5884233-\$ or US-5884049-\$ or US-5867715-\$		
		or US-5838929-\$ or US-5832284-\$ or		
		US-5812860-\$ or US-5805909-\$ or US-5794019-\$		
	İ	or US-5787294-\$ or US-6141762-\$ or		
		US-6122747-\$).did. or (US-6119241-\$ or		
		US-6119240-\$ or US-6105142-\$ or US-6088807-\$		
		or US-6081901-\$ or US-6076171-\$ or		
		US-6047382-\$ or US-6035358-\$ or US-6018796-\$		
		or US-5991888-\$ or US-5991884-\$ or		
		US-5951688-\$ or US-6370643-\$ or US-6366522-\$		
		or US-6343363-\$ or US-6327663-\$ or		
		US-6314522-\$ or US-6314440-\$ or US-6311287-\$		
		or US-6301671-\$ or US-6282596-\$ or		
		US-6240520-\$ or US-6230279-\$ or US-6178523-\$		
		or US-6161187-\$ or US-6639957-\$ or		
		US-6636976-\$).did. or (US-6633987-\$ or		
		US-6631474-\$ or US-6574739-\$ or US-6574738-\$		
		or US-6535798-\$ or US-6519707-\$ or		
		US-6510400-\$ or US-6501999-\$ or US-6484265-\$		
		or US-6470457-\$ or US-6442700-\$ or		
		US-6442697-\$ or US-6425086-\$ or US-6415388-\$		
		or US-6415387-\$ or US-6393571-\$).did. or		
		(US-20020004912-\$ or US-20020002689-\$ or		
		US-20010001878-\$ or US-20020133241-\$ or		
	,	US-20020124197-\$ or US-20020120882-\$ or		
		US-20020116650-\$ or US-20020095610-\$ or		
		US-20020091912-\$ or US-20020087901-\$ or		
		US-20020087896-\$ or US-20020083356-\$ or		
		US-20020083355-\$ or US-20020083353-\$ or		
		US-20020078391-\$ or US-20020073346-\$ or		
		US-20020062454-\$ or US-20020053038-\$ or		
		US-20020038433-\$ or US-20020029352-\$ or		
		US-20020007464-\$ or US-20020007463-\$ or		
		US-20020004916-\$ or US-20020004915-\$ or	1	
		US-20020004913-\$ or US-20030126479-\$).did. or		
		(US-20030126478-\$ or US-20030126477-\$ or		
		US-20030120962-\$ or US-20030120960-\$ or		
		US-20030120958-\$ or US-20030110423-\$ or		
earch Histor	v 11/12/03	8:53250301017612580r US-20030088800-\$ or		
		est 5000000000000000000000000000000000000		

		(10 F17F047 A F14646 A	11001-	2002/11/12=
-	36	(US-5475847-\$ or US-5142684-\$ or US-4670837-\$	USPAT;	2003/11/05
		or US-5630110-\$ or US-5832284-\$ or	US-PGPUB	09:56
		US-6141762-\$ or US-6119241-\$ or US-6105142-\$ or		
		US-6076171-\$ or US-6366522-\$ or US-6311287-\$		
		or US-6633987-\$ or US-6574739-\$ or		
		US-6535798-\$ or US-6519707-\$ or US-6442700-\$		
		or US-6442697-\$ or US-6425086-\$).did. or		
		(US-20020004912-\$ or US-20020116650-\$ or		
		US-20020087896-\$ or US-20020083355-\$ or		
		US-20020062454-\$ or US-20020007464-\$ or		
Í		US-20020007463-\$ or US-20020004915-\$ or		
		US-20020004913-\$ or US-20030120960-\$ or		
		US-20030110423-\$ or US-20030088800-\$ or		
İ		US-20030079151-\$ or US-20030065960-\$ or		
		US-20020188884-\$ or US-20030200473-\$ or		
		US-20030196126-\$ or US-20030188208-\$).did.		
_	11		USPAT;	2003/11/05
		US-4670837-\$ or US-5630110-\$ or US-5832284-\$	US-PGPUB:	10:36
		or US-6141762-\$ or US-6119241-\$ or US-6105142-\$	EPO; JPO;	
		or US-6076171-\$ or US-6366522-\$ or	DERWENT;	
		US-6311287-\$ or US-6633987-\$ or US-6574739-\$	IBM_TDB	
		or US-6535798-\$ or US-6519707-\$ or	10.01_100	
		US-6442700-\$ or US-6442697-\$ or		
		US-6425086-\$).did. or (US-20020004912-\$ or		1
		US-20020116650-\$ or US-20020087896-\$ or		
		US-20020083355-\$ or US-20020062454-\$ or		
		US-20020007464-\$ or US-20020007463-\$ or		
		US-20020004915-\$ or US-20020004913-\$ or		
		US-20030120960-\$ or US-20030110423-\$ or		
		US-20030088800-\$ or US-20030079151-\$ or		
		US-20030065960-\$ or US-20020188884-\$ or		
		US-20030200473-\$ or US-20030196126-\$ or		
		US-20030188208-\$).did.) and (@ad<19960212 or		
		@rlad<19960212 or @prad<19960212 or @pd<19960213		
	36	@pd<19960212 or @pt1d<19960212)	LICDAT.	2002/44/05 40.44
_	36	lefkowitz-sumati\$.xa. and 713.clas.	USPAT;	2003/11/05 10:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,,	(#4005247# #4002274# #5004207# #5447024#	IBM_TDB	2002 //4 /25
-	16	("4095267" "4893271" "5086387" "5167031"	USPAT	2003/11/05
		"5218704" "5305452" "5309561" "5319772"		10:04
		"5381543" "5418969" "5432468" "5448715"		
		"5450574" "5485602" "5511203"		
:		"5537582").PN.		
-	3	5754867.URPN.	USPAT	2003/11/05
]			10:08
-	9431	performance\$1 with (conserv\$5 or sav\$5)	USPAT;	2003/11/05 10:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L.,		IBM_TDB	

-	281	(performance\$1 with (conserv\$5 or sav\$5)) and	USPAT;	2003/11/05 10:15
		713.clas.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	167	((performance\$1 with (conserv\$5 or sav\$5)) and	USPAT;	2003/11/05 10:16
		713.clas.) and (thermal\$2 or temp\$8)	US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	81	(((performance\$1 with (conserv\$5 or sav\$5)) and	USPAT;	2003/11/05
		713.clas.) and (thermal\$2 or temp\$8)) and	US-PGPUB;	12:49
		(@ad<19960212 or @rlad<19960212 or	EPO; JPO;	
	}	@prad<19960212 or @pd<19960212 or	DERWENT;	
		@p+1d<19960212)	IBM_TDB	
_	249924	volt\$5 with (clock\$3 or frequenc\$3)	USPAT;	2003/11/05
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	10:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	39	((((performance\$1 with (conserv\$5 or sav\$5)) and	USPAT;	2003/11/05
		713.clas.) and (thermal\$2 or temp\$8)) and	US-PGPUB;	10:30
		(@ad<19960212 or @rlad<19960212 or	EPO; JPO;	10.30
		@prad<19960212 or @pd<19960212 or	DERWENT;	
,		@pt1d<19960212)) and (volt\$5 with (clock\$3 or	IBM_TDB	
		frequenc\$3))	10/4/_100	
_	1311080	(activity or inactivity or activ\$3 or inactiv\$3 or use\$1	USPAT;	2003/11/05
	1311000	or usage\$1 or utiliz\$7 or load\$3 or workload\$3 or	US-PGPUB;	10:35
		task\$1 or program\$1 or instruction\$1 or application\$1	EPO; JPO;	10.55
		or software\$1 or intens\$5) same (volt\$5 or (clock\$3	DERWENT;	
		or frequenc\$3))	IBM_TDB	
_	1316280	(activity or inactivity or activ\$3 or inactiv\$3 or use\$1	USPAT;	2003/11/05
	1310200	or usage\$1 or utiliz\$7 or load\$3 or workload\$3 or	US-PGPUB;	10:36
		task\$1 or program\$1 or instruction\$1 or application\$1	EPO; JPO;	10.36
		or software\$1 or intens\$5 or idl\$3) same (volt\$5 or		
		(clock\$3 or frequenc\$3))	DERWENT;	
<u>-</u>	517985	200.ab.	IBM_TDB USPAT;	2002/11/05
-	1 217,965	200.db.	· ·	2003/11/05
			US-PGPUB;	10:36
			EPO; JPO;	
			DERWENT;	
	1420	300 -b	IBM_TDB	2002 (44 (25
-	1420	200.ab. and 713.clas.	USPAT;	2003/11/05
			US-PGPUB;	10:36
			EPO; JPO;	
			DERWENT;	
		(000 1740 1) (00 1400 1400	IBM_TDB	
-	681	(200.ab, and 713.clas.) and (@ad<19960212 or	USPAT;	2003/11/07
		@rlad<19960212 or @prad<19960212 or	US-PGPUB;	08:07
		@pd<19960212 or @pt1d<19960212)	EPO; JPO;	
]		·	DERWENT;	
L			IBM_TDB	

((200.ab. and 713.clas.) and (@ad<19960212 or USPAT: 2003/11/10 @rlad<19960212 or @prad<19960212 or US-PGPUB: 07:30 @pd<19960212 or @pt1d<19960212)) not EPO: JPO: (((US-5572719-\$ or US-5563799-\$ or DERWENT; US-5553236-\$ or US-5539910-\$ or US-5504908-\$ IBM_TDB or US-5475847-\$ or US-5469561-\$ or US-5446867-\$ or US-5428790-\$ or US-5416723-\$ or US-5228138-\$ or US-5142684-\$ or US-4893271-\$ or US-4839248-\$ or US-4670837-\$ or US-4611289-\$ or US-4564902-\$ or US-4528629-\$ or US-4475047-\$ or US-4464584-\$ or US-4455623-\$ or US-5659789-\$ or US-5644760-\$ or US-5632037-\$ or US-5630143-\$ or US-5630110-\$).did. or (US-5623677-\$ or US-5604873-\$ or US-5787291-\$ or US-5774736-\$ or US-5745773-\$ or US-5742800-\$ or US-5727208-\$ or US-5724591-\$ or US-5721887-\$ or US-5951681-\$ or US-5946470-\$ or US-5940786-\$ or US-5938769-\$ or US-5926640-\$ or US-5915107-\$ or US-5909571-\$ or US-5884233-\$ or US-5884049-\$ or US-5867715-\$ or US-5838929-\$ or US-5832284-\$ or US-5812860-\$ or US-5805909-\$ or US-5794019-\$ or US-5787294-\$ or US-6141762-\$ or US-6122747-\$).did. or (US-6119241-\$ or US-6119240-\$ or US-6105142-\$ or US-6088807-\$ or US-6081901-\$ or US-6076171-\$ or US-6047382-\$ or US-6035358-\$ or US-6018796-\$ or US-5991888-\$ or US-5991884-\$ or US-5951688-\$ or US-6370643-\$ or US-6366522-\$ or US-6343363-\$ or US-6327663-\$ or US-6314522-\$ or US-6314440-\$ or US-6311287-\$ or US-6301671-\$ or US-6282596-\$ or US-6240520-\$ or US-6230279-\$ or US-6178523-\$ or US-6161187-\$ or US-6639957-\$ or US-6636976-\$).did. or (US-6633987-\$ or US-6631474-\$ or US-6574739-\$ or US-6574738-\$ or US-6535798-\$ or US-6519707-\$ or US-6510400-\$ or US-6501999-\$ or US-6484265-\$ or US-6470457-\$ or US-6442700-\$ or US-6442697-\$ or US-6425086-\$ or US-6415388-\$ or US-6415387-\$ or US-6393571-\$).did. or (US-20020004912-\$ or US-20020002689-\$ or US-20010001878-\$ or US-20020133241-\$ or US-20020124197-\$ or US-20020120882-\$ or US-20020116650-\$ or US-20020095610-\$ or US-20020091912-\$ or US-20020087901-\$ or US-20020087896-\$ or US-20020083356-\$ or US-20020083355-\$ or US-20020083353-\$ or US-20020078391-\$ or US-20020073346-\$ or US-20020062454-\$ or US-20020053038-\$ or US-20020038433-\$ or US-20020029352-\$ or US-20020007464-\$ or US-20020007463-\$ or US-20020004916-\$ or US-20020004915-\$ or US-20020004913-\$ or US-20030126479-\$).did. or Search History 11/12/03 8:53:58020126478-15 or US-20030126477-\$ or C:\APPS\EA5T\Workspages45966899129262-\$ or US-20030120960-\$ or

-	61780	volt\$3.clm. and (clock\$3 or frequenc\$3).clm.	USPAT;	2003/11/05
			US-PGPUB;	10:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

60 (((200.ab. and 713.clas.) and (@ad<19960212 or USPAT: 2003/11/10 @rlad<19960212 or @prad<19960212 or US-PGPUB: 07:30 @pd<19960212 or @pt1d<19960212)) not EPO; JPO; (((US-5572719-\$ or US-5563799-\$ or DERWENT; US-5553236-\$ or US-5539910-\$ or US-5504908-\$ IBM_TDB or US-5475847-\$ or US-5469561-\$ or US-5446867-\$ or US-5428790-\$ or US-5416723-\$ or US-5228138-\$ or US-5142684-\$ or US-4893271-\$ or US-4839248-\$ or US-4670837-\$ or US-4611289-\$ or US-4564902-\$ or US-4528629-\$ or US-4475047-\$ or US-4464584-\$ or US-4455623-\$ or US-5659789-\$ or US-5644760-\$ or US-5632037-\$ or US-5630143-\$ or US-5630110-\$).did. or (US-5623677-\$ or US-5604873-\$ or US-5787291-\$ or US-5774736-\$ or US-5745773-\$ or US-5742800-\$ or US-5727208-\$ or US-5724591-\$ or US-5721887-\$ or US-5951681-\$ or US-5946470-\$ or US-5940786-\$ or US-5938769-\$ or US-5926640-\$ or US-5915107-\$ or US-5909571-\$ or US-5884233-\$ or US-5884049-\$ or US-5867715-\$ or US-5838929-\$ or US-5832284-\$ or US-5812860-\$ or US-5805909-\$ or US-5794019-\$ or US-5787294-\$ or US-6141762-\$ or US-6122747-\$).did. or (US-6119241-\$ or US-6119240-\$ or US-6105142-\$ or US-6088807-\$ or US-6081901-\$ or US-6076171-\$ or US-6047382-\$ or US-6035358-\$ or US-6018796-\$ or US-5991888-\$ or US-5991884-\$ or US-5951688-\$ or US-6370643-\$ or US-6366522-\$ or US-6343363-\$ or US-6327663-\$ or US-6314522-\$ or US-6314440-\$ or US-6311287-\$ or US-6301671-\$ or US-6282596-\$ or US-6240520-\$ or US-6230279-\$ or US-6178523-\$ or US-6161187-\$ or US-6639957-\$ or US-6636976-\$).did. or (US-6633987-\$ or US-6631474-\$ or US-6574739-\$ or US-6574738-\$ or US-6535798-\$ or US-6519707-\$ or US-6510400-\$ or US-6501999-\$ or US-6484265-\$ or US-6470457-\$ or US-6442700-\$ or US-6442697-\$ or US-6425086-\$ or US-6415388-\$ or US-6415387-\$ or US-6393571-\$).did. or (US-20020004912-\$ or US-20020002689-\$ or US-20010001878-\$ or US-20020133241-\$ or US-20020124197-\$ or US-20020120882-\$ or US-20020116650-\$ or US-20020095610-\$ or US-20020091912-\$ or US-20020087901-\$ or US-20020087896-\$ or US-20020083356-\$ or US-20020083355-\$ or US-20020083353-\$ or US-20020078391-\$ or US-20020073346-\$ or US-20020062454-\$ or US-20020053038-\$ or US-20020038433-\$ or US-20020029352-\$ or US-20020007464-\$ or US-20020007463-\$ or US-20020004916-\$ or US-20020004915-\$ or US-20020004913-\$ or US-20030126479-\$).did. or Search History 11/12/03 8:53:5802M126478 ft or US-20030126477-\$ or C:\APPS\EA5T\Workspace\$\\$96089120862-\$ or US-20030120960-\$ or

2003/11/05 101 (((US-5475847-\$ or US-5142684-\$ or USPAT; 12:50 US-4670837-\$ or US-5630110-\$ or US-5832284-\$ US-PGPUB: or US-6141762-\$ or US-6119241-\$ or US-6105142-\$ EPO; JPO; or US-6076171-\$ or US-6366522-\$ or DERWENT: US-6311287-\$ or US-6633987-\$ or US-6574739-\$ IBM_TDB or US-6535798-\$ or US-6519707-\$ or US-6442700-\$ or US-6442697-\$ or US-6425086-\$).did. or (US-20020004912-\$ or US-20020116650-\$ or US-20020087896-\$ or US-20020083355-\$ or US-20020062454-\$ or US-20020007464-\$ or US-20020007463-\$ or US-20020004915-\$ or US-20020004913-\$ or US-20030120960-\$ or US-20030110423-\$ or US-20030088800-\$ or US-20030079151-\$ or US-20030065960-\$ or US-20020188884-\$ or US-20030200473-\$ or US-20030196126-\$ or US-20030188208-\$).did.) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) or (((((performance\$1 with (conserv\$5 or sav\$5)) and 713.clas.) and (thermal\$2 or temp\$8)) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) and (volt\$5 with (clock\$3 or frequenc\$3))) or ((((200.ab. and 713.clas.) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) not (((US-5572719-\$ or US-5563799-\$ or US-5553236-\$ or US-5539910-\$ or US-5504908-\$ or US-5475847-\$ or US-5469561-\$ or US-5446867-\$ or US-5428790-\$ or US-5416723-\$ or US-5228138-\$ or US-5142684-\$ or US-4893271-\$ or US-4839248-\$ or US-4670837-\$ or US-4611289-\$ or US-4564902-\$ or US-4528629-\$ or US-4475047-\$ or US-4464584-\$ or US-4455623-\$ or US-5659789-\$ or US-5644760-\$ or US-5632037-\$ or US-5630143-\$ or US-5630110-\$).did. or (US-5623677-\$ or US-5604873-\$ or US-5787291-\$ or US-5774736-\$ or US-5745773-\$ or US-5742800-\$ or US-5727208-\$ or US-5724591-\$ or US-5721887-\$ or US-5951681-\$ or US-5946470-\$ or US-5940786-\$ or US-5938769-\$ or US-5926640-\$ or US-5915107-\$ or US-5909571-\$ or US-5884233-\$ or US-5884049-\$ or US-5867715-\$ or US-5838929-\$ or US-5832284-\$ or US-5812860-\$ or US-5805909-\$ or US-5794019-\$ or US-5787294-\$ or US-6141762-\$ or US-6122747-\$).did. or (US-6119241-\$ or US-6119240-\$ or US-6105142-\$ or US-6088807-\$ or US-6081901-\$ or US-6076171-\$ or US-6047382-\$ or US-6035358-\$ or US-6018796-\$ or US-5991888-\$ or US-5991884-\$ or US-5951688-\$ or US-6370643-\$ or US-6366522-\$ or US-6343363-\$ or Search History 11/12/03 8:53956 7063-6006 45-6314522-\$ or US-6314440-\$ C:\APPS\EAST\Workspade9904868332875\$ or US-6301671-\$ or

2003/11/06 10 ((((US-5475847-\$ or US-5142684-\$ or USPAT: 07:34 US-4670837-\$ or US-5630110-\$ or US-5832284-\$ US-PGPUB; or US-6141762-\$ or US-6119241-\$ or US-6105142-\$ EPO; JPO; or US-6076171-\$ or US-6366522-\$ or DERWENT; US-6311287-\$ or US-6633987-\$ or US-6574739-\$ IBM_TDB or US-6535798-\$ or US-6519707-\$ or US-6442700-\$ or US-6442697-\$ or US-6425086-\$).did. or (US-20020004912-\$ or US-20020116650-\$ or US-20020087896-\$ or US-20020083355-\$ or US-20020062454-\$ or US-20020007464-\$ or US-20020007463-\$ or US-20020004915-\$ or US-20020004913-\$ or US-20030120960-\$ or US-20030110423-\$ or US-20030088800-\$ or US-20030079151-\$ or US-20030065960-\$ or US-20020188884-\$ or US-20030200473-\$ or US-20030196126-\$ or US-20030188208-\$).did.) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) or (((((performance\$1 with (conserv\$5 or sav\$5)) and 713.clas.) and (thermal\$2 or temp\$8)) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) and (volt\$5 with (clock\$3 or frequenc\$3))) or ((((200.ab. and 713.clas.) and (@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or @pt1d<19960212)) not (((US-5572719-\$ or US-5563799-\$ or US-5553236-\$ or US-5539910-\$ or US-5504908-\$ or US-5475847-\$ or US-5469561-\$ or US-5446867-\$ or US-5428790-\$ or US-5416723-\$ or US-5228138-\$ or US-5142684-\$ or US-4893271-\$ or US-4839248-\$ or US-4670837-\$ or US-4611289-\$ or US-4564902-\$ or US-4528629-\$ or US-4475047-\$ or US-4464584-\$ or US-4455623-\$ or US-5659789-\$ or US-5644760-\$ or US-5632037-\$ or US-5630143-\$ or US-5630110-\$).did. or (US-5623677-\$ or US-5604873-\$ or US-5787291-\$ or US-5774736-\$ or US-5745773-\$ or US-5742800-\$ or US-5727208-\$ or US-5724591-\$ or US-5721887-\$ or US-5951681-\$ or US-5946470-\$ or US-5940786-\$ or US-5938769-\$ or US-5926640-\$ or US-5915107-\$ or US-5909571-\$ or US-5884233-\$ or US-5884049-\$ or US-5867715-\$ or US-5838929-\$ or US-5832284-\$ or US-5812860-\$ or US-5805909-\$ or US-5794019-\$ or US-5787294-\$ or US-6141762-\$ or US-6122747-\$).did. or (US-6119241-\$ or US-6119240-\$ or US-6105142-\$ or US-6088807-\$ or US-6081901-\$ or US-6076171-\$ or US-6047382-\$ or US-6035358-\$ or US-6018796-\$ or US-5991888-\$ or US-5991884-\$ or US-5951688-\$ or US-6370643-\$ or US-6366522-\$ or US-6343363-\$ or Search History 11/12/03 8/93/56/7063-\$ade 45-6314522-\$ or US-6314440-\$ C:\APPS\EA5T\Workspade990498689338\$\$\$ or US-6301671-\$ or

	2	4670837 nn	USPAT;	2003/11/06
-	2	4670837.pn.	US-PGPUB;	07:50
			1	07.50
			EPO; JPO;	
			DERWENT;	
	20	4470007410044	IBM_TDB	0000 144 101
-	32	4670837.URPN.	USPAT	2003/11/06
		, , , , , , , , , , , , , , , , , , ,		07:34
-	12	("3453601" "3656123" "3775696" "3922526"	USPAT	2003/11/06
		"4037090" "4191998" "4241418" "4331924"		07:47
		"4414637" "4438490" "4447870"		
		"4463440").PN.		
-	2	5167024.pn.	USPAT;	2003/11/07
			US-PGPUB;	08:02
			EPO; JPO;	
			DERWENT;	
	1		IBW_TDB	
-	0	5167024.pn. and state adj machine\$1	USPAT;	2003/11/06
			US-PGPUB;	07:51
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	148	pad with core with volt\$5	USPAT;	2003/11/07
			US-PGPUB;	08:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(pad with core with volt\$5) with (independen\$3 or	USPAT;	2003/11/07
		individual\$3 or separat\$3)	US-PGPUB;	08:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(pad with core with volt\$5) and 713.clas.	USPAT;	2003/11/07
			US-PGPUB;	08:06
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	47	(pad with core with volt\$5) and (@ad<19960212 or	USPAT;	2003/11/07
		@rlad<19960212 or @prad<19960212 or	US-PGPUB;	08:34
		@pd<19960212 or @pt1d<19960212)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	711	(pad\$1 or ring\$1) with core\$1 with volt\$5	USPAT;	2003/11/07
			US-PGPUB;	08:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	91	((pad\$1 or ring\$1) with core\$1 with volt\$5) with (own	USPAT;	2003/11/07
		or correspond\$3 or associat\$3 or different\$2 or	US-PGPUB;	08:22
		distinct\$2 or unique\$2 independen\$3 or individual\$3	EPO; JPO;	
		or separat\$3)	DERWENT;	
	1		IBM_TDB	

				_
-	91	((pad\$1 or ring\$1) with core\$1 with volt\$5) with (own	USPAT;	2003/11/07
		or correspond\$3 or associat\$3 or different\$2 or	US-PGPUB;	08:22
		distinct\$2 or unique\$2 or independen\$3 or	EPO; JPO;	
		individual\$3 or separat\$3)	DERWENT;	
			IBW_TDB	
-	52	(((pad\$1 or ring\$1) with core\$1 with volt\$5) with (own	USPAT;	2003/11/07
		or correspond\$3 or associat\$3 or different\$2 or	US-PGPUB;	08:33
		distinct\$2 or unique\$2 or independen\$3 or	EPO; JPO;	
		individual\$3 or separat\$3)) and (@ad<19960212 or	DERWENT;	
		@rlad<19960212 or @prad<19960212 or	IBM_TDB	
		@pd<19960212 or @pt1d<19960212)		
-	5	(((pad\$1 or ring\$1) with core\$1 with volt\$5) with (own	USPAT;	2003/11/07
		or correspond\$3 or associat\$3 or different\$2 or	US-PGPUB;	08:27
		distinct\$2 or unique\$2 or independen\$3 or	EPO; JPO;	
		individual\$3 or separat\$3)) same adjust\$5	DERWENT;	
			IBW_TDB	
-	21565	(pad\$1 or ring\$1) near4 (volt\$5 or potential\$1)	USPAT;	2003/11/07
			US-PGPUB;	08:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11151	core near4 (volt\$5 or potential\$1)	USPAT;	2003/11/07
			US-PGPUB;	08:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	121	((pad\$1 or ring\$1) near4 (volt\$5 or potential\$1)) with	USPAT;	2003/11/07
		(core near4 (volt\$5 or potential\$1))	US-PGPUB;	08:34
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	(((pad\$1 or ring\$1) near4 (volt\$5 or potential\$1)) with	USPAT;	2003/11/07
		(core near4 (volt\$5 or potential\$1))) and	US-PGPUB;	08:49
		(@ad<19960212 or @rlad<19960212 or	EPO; JPO;	
		@prad<19960212 or @pd<19960212 or	DERWENT;	
		@p+1d<19960212)	IBM_TDB	
-	11832	core\$1 near4 (volt\$5 or potential\$1)	USPAT;	2003/11/07
			US-PGPUB;	08:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2723	(core\$1 near4 (volt\$5 or potential\$1)) with (adjust\$7	USPAT;	2003/11/07
		or chang\$7 or alter\$7 or vary\$3 or vari\$7 or	US-PGPUB;	08:49
		increas\$3 or decreas\$3 or modify\$3 or modif\$7)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	((core\$1 near4 (volt\$5 or potential\$1)) with	USPAT;	2003/11/07
		(adjust\$7 or chang\$7 or alter\$7 or vary\$3 or vari\$7	US-PGPUB;	08:49
		or increas\$3 or decreas\$3 or modify\$3 or modif\$7))	EPO; JPO;	
		same ((pad\$1 or ring\$1) with core\$1 with volt\$5)	DERWENT;	
			IBM_TDB	<u> </u>

	15	(((agast1 maga) (valtt5 on natantial\$1)) with	LICRAT	2003/11/07
-	15	(((core\$1 near4 (volt\$5 or potential\$1)) with (adjust\$7 or chang\$7 or alter\$7 or vary\$3 or vari\$7	USPAT; US-PGPUB;	09:36
		or increas\$3 or decreas\$3 or modify\$3 or modif\$7))	EPO; JPO;	
		same ((pad\$1 or ring\$1) with core\$1 with volt\$5)) and	DERWENT:	
		(@ad<19960212 or @rlad<19960212 or	IBW_TDB	
		@prad<19960212 or @pd<19960212 or		
		@p+1d<19960212)		
-	6	tanikawa.in. and 713.clas.	USPAT;	2003/11/10
			US-PGPUB;	07:27
			EPO; JPO;	
			DERWENT;	
	1965		IBM_TDB	2002 /44 /40
-	1965	sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7 or sav\$5)	USPAT; US-PGPUB;	2003/11/10 07:28
	<u> </u>	sav ₉ 5)	EPO; JPO;	07:28
			DERWENT;	
			IBM_TDB	
_	1572	(sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	07:29
	,	current\$1)	EPO; JPO;	0
			DERWENT:	
			IBM_TDB	
-	213	((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	07:29
		current\$1)) and 7??.clas.	EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	94	(((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	07:56
		current\$1)) and 7??.clas.) and (@ad<19960212 or	EPO; JPO;	
		@rlad<19960212 or @prad<19960212 or	DERWENT;	
	477	@pd<19960212 or @pt1d<19960212)	IBM_TDB	0000 44 440
•	4//	((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7 or sav\$5)) with (energy or power or volt\$5 or	USPAT;	2003/11/10
		current\$1)) same dram\$1	US-PGPUB; EPO; JPO;	07:56
			DERWENT;	
			IBM_TDB	
_	16	(((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	07:56
		current\$1)) same dram\$1) and 713.clas.	EPO; JPO;	
		•••	DERWENT;	
			IBM_TDB	
-	7	((((sram\$1 with (conserv\$7 or consum\$7 or	USPAT;	2003/11/10 08:01
		dissipat\$7 or sav\$5)) with (energy or power or volt\$5	US-PGPUB;	
		or current\$1)) same dram\$1) and 713.clas.) and	EPO; JPO;	
		(@ad<19960212 or @rlad<19960212 or	DERWENT;	
		@prad<19960212 or @pd<19960212 or	IBW_TDB	
		@pt1d<19960212)		
-	0	(((((sram\$1 with (conserv\$7 or consum\$7 or	USPAT;	2003/11/10
		dissipat\$7 or sav\$5)) with (energy or power or volt\$5	US-PGPUB;	07:59
		or current\$1)) same dram\$1) and 713.clas.) and	EPO; JPO;	
		(@ad<19960212 or @rlad<19960212 or @prad<19960212 or @pd<19960212 or	DERWENT;	
		@pt1d<19960212)) and 307.clas.	IBM_TDB	
		באוזמיזאסטבובן) מחם SUT.clas.		

-	2	(((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10 08:01
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	
		current\$1)) same dram\$1) and 307.clas.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	239	(((sram\$1 with (conserv\$7 or consum\$7 or dissipat\$7	USPAT;	2003/11/10 08:01
		or sav\$5)) with (energy or power or volt\$5 or	US-PGPUB;	
		current\$1)) same dram\$1) and 365.clas.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	77	((((sram\$1 with (conserv\$7 or consum\$7 or	USPAT;	2003/11/10 08:01
		dissipat\$7 or sav\$5)) with (energy or power or volt\$5	US-PGPUB;	
		or current\$1)) same dram\$1) and 365.clas.) and	EPO; JPO;	
		(@ad<19960212 or @rlad<19960212 or	DERWENT;	
		@prad<19960212 or @pd<19960212 or	IBW_TDB	,
		@p+1d<19960212)		
	62	(((((sram\$1 with (conserv\$7 or consum\$7 or	USPAT;	2003/11/10 08:01
		dissipat\$7 or sav\$5)) with (energy or power or volt\$5	US-PGPUB;	
		or current\$1)) same dram\$1) and 365.clas.) and	EPO; JPO;	
		(@ad<19960212 or @rlad<19960212 or	DERWENT;	
		@prad<19960212 or @pd<19960212 or	IBW_TDB	
		@pt1d<19960212)) not ((((sram\$1 with (conserv\$7 or		
		consum\$7 or dissipat\$7 or sav\$5)) with (energy or		
		power or volt\$5 or current\$1)) and 7??.clas.) and		
į		(@ad<19960212 or @rlad<19960212 or		
		@prad<19960212 or @pd<19960212 or		
		@pt1d<19960212))		